

new COLLRITMO 2013




MADE IN ITALY

Ritmo leggerezza, comfort e sicurezza!
Ritmo lightness, comfort and safety!

Il progetto Ritmo ha alla base la creazione di una calzatura leggera e confortevole, con un nuovo look Italiano. Il puntale in alluminio molto leggero permette di ottenere linee nuove e forme comode. Un matrimonio perfetto tra comfort e stile, garantito dalla qualità dei materiali e dal know how aziendale. La collezione Ritmo soddisfa a pieno le esigenze di leggerezza, resistenza e i desideri sempre più complessi degli utilizzatori.

The Ritmo design originates from the necessity to conceive a light and comfortable footwear, with an Italian look. The extremely light aluminium toe cap allows to get new lines and comfortable lasts. A perfect combination between comfort and style, guaranteed by the quality of materials and by the Know-how of the company. The Ritmo collection satisfies the customer's need for lightness, durability and also his more and more complicated wishes.



ANTISLIP AREA
ANTISLIP AREA

RILIEVI AUTOPULENTI
SELF-CLEANING RELIEFS

APPOGGIO PER GRADINO
STEP REST

AREA ASSORBIMENTO ENERGIA
DEL TALLONE
SHOCK ABSORPTION HEEL

ANTISLIP AREA
ANTISLIP AREA

SRC (SRA+SRB)



		Sole 91 PU/PU	Sole 92 PU/TPU
SRA CERAMIC + DETERGENT SOLUTION	FLAT ≥ 0.32	0.54	0.53
	HEEL (CONTACT ANGLE °) ≥ 0.28	0.52	0.40
SRB STEEL + GLYCEROL	FLAT ≥ 0.18	0.29	0.25
	HEEL (CONTACT ANGLE °) ≥ 0.13	0.23	0.15

EN ISO20345:2004 + A1:2011



Suola in PU-TPU

Il battistrada in TPU è più resistente all'abrasione, garantendo maggiore durata. Il nuovo look ne esalta la leggerezza, il comfort e aspetti tecnici.

PU/TPU sole

The TPU outsole better resists to abrasion, therefore it guarantees longer durability. The new look highlights lightness, comfort and technical aspects.

Suola PU-PU

Abbiamo ottenuto, con una nuova formulazione, l'intersuola più leggera diminuendo il peso e aumentando il comfort. Il design del battistrada ha performance superiori alla media nei test di scivolamento su superfici bagnate.

PU/PU sole

With a new PU mixture we got a lighter midsole: this means less weight and more comfort. We got excellent - above the average - results in the slip resistance tests on wet surfaces thanks to the outsole design.



Tomaia: Nubuc Hydrotech + Pieno Fiore Hydrotech
Fodera: Aired 3D 320 gr + DualMicro
Suoletta: SoftFit anatomico
Suola: PU / TPU - SRC passed
Puntale: senza il puntale di sicurezza
Antiperforazione: Q Zero Flex 4 (K) Stadt - EN 12568:2010

Upper: nubuk leather Hydrotech +full grain Hydrotech
Lining: Aired 3D 320 gr + DualMicro
Insole: SoftFit
Sole: PU / TPU - SRC passed
Toe cap: without safety toe cap
Anti-perforation: Q Zero Flex 4 (K) Stadt - EN 12568:2010

Obermaterial: nubuckHydrotech +vollnarbiges Hydrotech
Futter: Aired 3D 320 gr + DualMicro
Innensohle: SoftFit
Laufsohle: PU / TPU - SRC passed
Schutzkappe: ohne Schutzkappe
Zwischensohle: Q Zero Flex 4 (K) Stadt - EN 12568:2010

Tige: cuir nubuck Hydrotech et pleine fleur Hydrotech
Doublure: Aired 3D 320 gr + DualMicro
Première de propreté: SoftFit
Semelle: PU / TPU - SRC passed
Embout: sans embout de protection
Anti-perforation: Q Zero Flex 4 (K) Stadt - EN 12568:2010

Taglia/Size: 35 - 48 Peso/Weight: 522 gr.



Tomaia: Nubuc Hydrotech + Pieno Fiore Hydrotech
Fodera: Aired 3D 320 gr + DualMicro
Suoletta: SoftFit anatomico
Suola: PU / TPU - SRC passed
Puntale: ALU-SXT Aluminium
Antiperforazione: Q Zero Flex 4 (K) Stadt - EN 12568:2010

Upper: nubuk leather Hydrotech +full grain Hydrotech
Lining: Aired 3D 320 gr + DualMicro
Insole: SoftFit
Sole: PU / TPU - SRC passed
Toe cap: ALU-SXT Aluminium
Anti-perforation: Q Zero Flex 4 (K) Stadt - EN 12568:2010

Obermaterial: nubuckHydrotech +vollnarbiges Hydrotech
Futter: Aired 3D 320 gr + DualMicro
Innensohle: SoftFit
Laufsohle: PU / TPU - SRC passed
Schutzkappe: ALU-SXT Aluminium
Zwischensohle: Q Zero Flex 4 (K) Stadt - EN 12568:2010

Tige: cuir nubuck Hydrotech et pleine fleur Hydrotech
Doublure: Aired 3D 320 gr + DualMicro
Première de propreté: SoftFit
Semelle: PU / TPU - SRC passed
Embout: ALU-SXT Aluminium
Anti-perforation: Q Zero Flex 4 (K) Stadt - EN 12568:2010

Taglia/Size: 35 - 48 Peso/Weight: 542 gr.



Tomaia: Nubuc Hydrotech + Pieno Fiore Hydrotech
Fodera: Aired 3D 320 gr + DualMicro
Suoletta: SoftFit anatomico
Suola: PU / TPU - SRC passed
Puntale: ALU-SXT Aluminium
Antiperforazione: Q Zero Flex 4 (K) Stadt - EN 12568:2010

Upper: nubuk leather Hydrotech +full grain Hydrotech
Lining: Aired 3D 320 gr + DualMicro
Insole: SoftFit
Sole: PU / TPU - SRC passed
Toe cap: ALU-SXT Aluminium
Anti-perforation: Q Zero Flex 4 (K) Stadt - EN 12568:2010

Obermaterial: nubuckHydrotech +vollnarbiges Hydrotech
Futter: Aired 3D 320 gr + DualMicro
Innensohle: SoftFit
Laufsohle: PU / TPU - SRC passed
Schutzkappe: ALU-SXT Aluminium
Zwischensohle: Q Zero Flex 4 (K) Stadt - EN 12568:2010

Tige: cuir nubuck Hydrotech et pleine fleur Hydrotech
Doublure: Aired 3D 320 gr + DualMicro
Première de propreté: SoftFit
Semelle: PU / TPU - SRC passed
Embout: ALU-SXT Aluminium
Anti-perforation: Q Zero Flex 4 (K) Stadt - EN 12568:2010

Taglia/Size: 35 - 48 Peso/Weight: 542 gr.





Tomaia: Pieno Fiore Martin
Fodera: Pieno Fiore concia "WET WHITE"
Suoletta: SoftFit anatomico
Suola: PU Dual-Density SRC passed
Puntale: ALU-SXT Aluminium
Antiperforazione: Q Zero Flex 4 (K) Stadt - EN 12568:2010

Upper: full grain leather "Martin"
Lining: soft full grain leather "WET WHITE"
Insole: SoftFit
Sole: Dual density PU SRC passed
Toe cap: ALU-SXT Aluminium
Anti-perforation: Q Zero Flex 4 (K) Stadt - EN 12568:2010

Obermaterial: vollnarbiges Leder "Martin"
Futter: vollnarbiges Leder "WET WHITE"
Innensohle: SoftFit
Laufsohle: PU-PU SRC getestet
Schutzkappe: ALU-SXT Aluminium
Zwischensohle: Q Zero Flex 4 (K) Stadt - EN 12568:2010

Tige: cuir pleine fleur "Martin"
Doubleure: cuir pleine fleur "WET WHITE"
Première de propreté: SoftFit
Semelle: PU bidensite testé SRC
Embout: ALU-SXT Aluminium
Anti-perforation: Q Zero Flex 4 (K) Stadt - EN 12568:2010



Taglia/Size: 35 - 48 Peso/Weight: 542 gr.



SRC



"Class 3"

Tomaia: Nubuc Hydrotech + Scamosciato bott Hydro
Fodera: Aired 3D 320 gr + DualMicro
Suoletta: SoftFit anatomico
Suola: PU Dual-Density SRC passed
Puntale: ALU-SXT Aluminium
Antiperforazione: Q Zero Flex 4 (K) Stadt - EN 12568:2010

Upper: nubuk leather Hydrotech +drummed suede Hydro
Lining: Aired 3D 320 gr + DualMicro
Insole: SoftFit
Sole: Dual density PU SRC passed
Toe cap: ALU-SXT Aluminium
Anti-perforation: Q Zero Flex 4 (K) Stadt - EN 12568:2010

Obermaterial: Nubuckleder Hydrotech und Velourspaltleder
Futter: Aired 3D 320 gr + DualMicro
Innensohle: SoftFit
Laufsohle: PU-PU SRC getestet
Schutzkappe: ALU-SXT Aluminium
Zwischensohle: Q Zero Flex 4 (K) Stadt - EN 12568:2010

Tige: cuir nubuck Hydro et croûte suédé tanné au foulon
Doubleure: Aired 3D 320 gr + DualMicro
Première de propreté: SoftFit
Semelle: PU bidensite testé SRC
Embout: ALU-SXT Aluminium
Anti-perforation: Q Zero Flex 4 (K) Stadt - EN 12568:2010



Taglia/Size: 35 - 48 Peso/Weight: 541 gr.



SRC



"Class 3"

Tomaia: Nubuc Hydrotech + Scamosciato bott Hydro
Fodera: Aired 3D 320 gr + DualMicro
Suoletta: SoftFit anatomico
Suola: PU Dual-Density SRC passed
Puntale: ALU-SXT Aluminium
Antiperforazione: Q Zero Flex 4 (K) Stadt - EN 12568:2010

Upper: nubuk leather Hydrotech +drummed suede Hydro
Lining: Aired 3D 320 gr + DualMicro
Insole: SoftFit
Sole: Dual density PU SRC passed
Toe cap: ALU-SXT Aluminium
Anti-perforation: Q Zero Flex 4 (K) Stadt - EN 12568:2010

Obermaterial: Nubuckleder Hydrotech und Velourspaltleder
Futter: Aired 3D 320 gr + DualMicro
Innensohle: SoftFit
Laufsohle: PU-PU SRC getestet
Schutzkappe: ALU-SXT Aluminium
Zwischensohle: Q Zero Flex 4 (K) Stadt - EN 12568:2010

Tige: cuir nubuck Hydro et croûte suédé tanné au foulon
Doubleure: Aired 3D 320 gr + DualMicro
Première de propreté: SoftFit
Semelle: PU bidensite testé SRC
Embout: ALU-SXT Aluminium
Anti-perforation: Q Zero Flex 4 (K) Stadt - EN 12568:2010



Taglia/Size: 35 - 48 Peso/Weight: 541 gr.



SRC



"Class 3"



Tomaia: Nubuc Hydrotech + Scamosciato bott Hydro
Fodera: Aired 3D 320 gr + DualMicro
Suoletta: SoftFit anatomico
Suola: PU Dual-Density SRC passed
Puntale: ALU-SXT Aluminium
Antiperforazione: Q Zero Flex 4 (K) Stadt - EN 12568:2010

Obermaterial: Nubuckleder Hydrotech und Velourspattleder
Futter: Aired 3D 320 gr + DualMicro
Innensohle: SoftFit
Laufsohle: PU-PU SRC getestet
Schutzkappe: ALU-SXT Aluminium
Zwischensohle: Q Zero Flex 4 (K) Stadt - EN 12568:2010

Upper: nubuk leather Hydrotech +drummed suede Hydro
Lining: Aired 3D 320 gr + DualMicro
Insole: SoftFit
Sole: Dual density PU SRC passed
Toe cap: ALU-SXT Aluminium
Anti-perforation: Q Zero Flex 4 (K) Stadt - EN 12568:2010

Tige: cuir nubuck Hydro et croûte suédé tanné au foulon
Doublure: Aired 3D 320 gr + DualMicro
Première de propreté: SoftFit
Semelle: PU bidensite testé SRC
Embout: ALU-SXT Aluminium
Anti-perforation: Q Zero Flex 4 (K) Stadt - EN 12568:2010

Taglia/Size: 35 - 48

Peso/Weight: 541 gr.

ALU•SXT
aluminiumZERO(k)
ANTIPERFORATION

DUALMICRO

STABIL•ACTIVE

soft~fit

HUNTSMAN
Empowering lives through innovation

SRC



"Class 3"



Tomaia: Nubuc Hydrotech + Scamosciato bott Hydro
Fodera: Aired 3D 320 gr + DualMicro
Suoletta: SoftFit anatomico
Suola: PU Dual-Density SRC passed
Puntale: ALU-SXT Aluminium
Antiperforazione: Q Zero Flex 4 (K) Stadt - EN 12568:2010

Obermaterial: Nubuckleder Hydrotech und Velourspattleder
Futter: Aired 3D 320 gr + DualMicro
Innensohle: SoftFit
Laufsohle: PU-PU SRC getestet
Schutzkappe: ALU-SXT Aluminium
Zwischensohle: Q Zero Flex 4 (K) Stadt - EN 12568:2010

Upper: nubuk leather Hydrotech +drummed suede Hydro
Lining: Aired 3D 320 gr + DualMicro
Insole: SoftFit
Sole: Dual density PU SRC passed
Toe cap: ALU-SXT Aluminium
Anti-perforation: Q Zero Flex 4 (K) Stadt - EN 12568:2010

Tige: cuir nubuck Hydro et croûte suédé tanné au foulon
Doublure: Aired 3D 320 gr + DualMicro
Première de propreté: SoftFit
Semelle: PU bidensite testé SRC
Embout: ALU-SXT Aluminium
Anti-perforation: Q Zero Flex 4 (K) Stadt - EN 12568:2010

Taglia/Size: 35 - 48

Peso/Weight: 541 gr.

ALU•SXT
aluminiumZERO(k)
ANTIPERFORATION

DUALMICRO

STABIL•ACTIVE

soft~fit

HUNTSMAN
Empowering lives through innovation

SRC



"Class 3"



Tomaia: Nubuc Hydrotech + Scamosciato bott Hydro
Fodera: Aired 3D 320 gr + DualMicro
Suoletta: SoftFit anatomico
Suola: PU Dual-Density SRC passed
Puntale: ALU-SXT Aluminium
Antiperforazione: Q Zero Flex 4 (K) Stadt - EN 12568:2010

Obermaterial: Nubuckleder Hydrotech und Velourspattleder
Futter: Aired 3D 320 gr + DualMicro
Innensohle: SoftFit
Laufsohle: PU-PU SRC getestet
Schutzkappe: ALU-SXT Aluminium
Zwischensohle: Q Zero Flex 4 (K) Stadt - EN 12568:2010

Upper: nubuk leather Hydrotech +drummed suede Hydro
Lining: Aired 3D 320 gr + DualMicro
Insole: SoftFit
Sole: Dual density PU SRC passed
Toe cap: ALU-SXT Aluminium
Anti-perforation: Q Zero Flex 4 (K) Stadt - EN 12568:2010

Tige: cuir nubuck Hydro et croûte suédé tanné au foulon
Doublure: Aired 3D 320 gr + DualMicro
Première de propreté: SoftFit
Semelle: PU bidensite testé SRC
Embout: ALU-SXT Aluminium
Anti-perforation: Q Zero Flex 4 (K) Stadt - EN 12568:2010

Taglia/Size: 35 - 48

Peso/Weight: 541 gr.

ALU•SXT
aluminiumZERO(k)
ANTIPERFORATION

DUALMICRO

STABIL•ACTIVE

soft~fit

HUNTSMAN
Empowering lives through innovation

SRC



Sixton Peak nasce dall'esperienza e dalla passione di oltre 25 anni di lavoro nel settore delle calzature tecniche iniettate. Ricerca, design e capacità di innovazione sono costantemente al primo posto per garantire una produzione qualitativa di livello superiore. Maspica Srl rappresenta oggi quanto di meglio l'industria del settore è in grado di offrire.

Sixton Peak originates from the experience and passion of more than 25 years in the field of technical injected footwear. A focus on research, design and the ability to innovate constantly guarantee a high quality production, with the result that today, Maspica Srl represents the best the industry can offer.



Via A. Einstein, 6
35020 Casalserugo (PD) - ITALY
Tel. +39 049 8740771 - Fax +39 049 8741376
mail: info@maspica.it
www.sixton.it

